

**How to read this analysis:**

Refer to your monthly assesment invoice for your account number.

1 unit of water = 100 cubic feet = 748 gallons

City allotment of 12 units per unit before imposing penalty rates, per billing cycle

Billing cycle averages 60 days

Report Period: 05/01/14 07/03/14

Number of days within period: 63

| Account #     | Meter Use | # of Units    |  | Unit Consumption per meter shared | Gallons per Billing Cycle | Avg.Gallons per Day | Usage Vs. AVG. |
|---------------|-----------|---------------|--|-----------------------------------|---------------------------|---------------------|----------------|
|               |           | Sharing Meter |  |                                   |                           |                     |                |
| 00166-0-001-# | 19        | 2             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-002-# | 19        | 2             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-003-# | 99        | 4             |  | 24.8                              | 18,513                    | 294                 | 212%           |
| 00166-0-004-# | 99        | 4             |  | 24.8                              | 18,513                    | 294                 | 212%           |
| 00166-0-005-# | 99        | 4             |  | 24.8                              | 18,513                    | 294                 | 212%           |
| 00166-0-006-# | 99        | 4             |  | 24.8                              | 18,513                    | 294                 | 212%           |
| 00166-0-007-# | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00166-0-008-# | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00166-0-009-# | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00166-0-010-# | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00166-0-011-# | 45        | 4             |  | 11.3                              | 8,415                     | 134                 | 96%            |
| 00166-0-012-# | 45        | 4             |  | 11.3                              | 8,415                     | 134                 | 96%            |
| 00166-0-013-# | 45        | 4             |  | 11.3                              | 8,415                     | 134                 | 96%            |
| 00166-0-014-# | 45        | 4             |  | 11.3                              | 8,415                     | 134                 | 96%            |
| 00166-0-015-# | 16        | 2             |  | 8.0                               | 5,984                     | 95                  | 69%            |
| 00166-0-016-# | 16        | 2             |  | 8.0                               | 5,984                     | 95                  | 69%            |
| 00166-0-017-# | 30        | 1             |  | 30.0                              | 22,440                    | 356                 | 257%           |
| 00166-0-018-# | 38        | 1             |  | 38.0                              | 28,424                    | 451                 | 325%           |
| 00166-0-019-# | 19        | 2             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-020-# | 19        | 2             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-021-# | 33        | 4             |  | 8.3                               | 6,171                     | 98                  | 71%            |
| 00166-0-022-# | 33        | 4             |  | 8.3                               | 6,171                     | 98                  | 71%            |
| 00166-0-023-# | 33        | 4             |  | 8.3                               | 6,171                     | 98                  | 71%            |
| 00166-0-024-# | 33        | 4             |  | 8.3                               | 6,171                     | 98                  | 71%            |
| 00166-0-025-# | 48        | 4             |  | 12.0                              | 8,976                     | 142                 | 103%           |
| 00166-0-026-# | 48        | 4             |  | 12.0                              | 8,976                     | 142                 | 103%           |
| 00166-0-027-# | 48        | 4             |  | 12.0                              | 8,976                     | 142                 | 103%           |
| 00166-0-028-# | 48        | 4             |  | 12.0                              | 8,976                     | 142                 | 103%           |
| 00166-0-029-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-030-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-031-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-032-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-033-# | 25        | 2             |  | 12.5                              | 9,350                     | 148                 | 107%           |
| 00166-0-034-# | 25        | 2             |  | 12.5                              | 9,350                     | 148                 | 107%           |
| 00166-0-035-# | 2         | 1             |  | 2.0                               | 1,496                     | 24                  | 17%            |
| 00166-0-036-# | 6         | 1             |  | 6.0                               | 4,488                     | 71                  | 51%            |
| 00166-0-037-# | 24        | 2             |  | 12.0                              | 8,976                     | 142                 | 103%           |
| 00166-0-038-# | 24        | 2             |  | 12.0                              | 8,976                     | 142                 | 103%           |

Report Period: 05/01/14 07/03/14

Number of days within period: 63

| Account #     | Meter Use | # of Units    |  | Unit Consumption per meter shared | Gallons per Billing Cycle | Avg.Gallons per Day | Usage Vs. AVG. |
|---------------|-----------|---------------|--|-----------------------------------|---------------------------|---------------------|----------------|
|               |           | Sharing Meter |  |                                   |                           |                     |                |
| 00166-0-039-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-040-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-041-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-042-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-043-# | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00166-0-044-# | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00166-0-045-# | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00166-0-046-# | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00166-0-047-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-048-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-049-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-050-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-051-# | 20        | 2             |  | 10.0                              | 7,480                     | 119                 | 86%            |
| 00166-0-052-# | 20        | 2             |  | 10.0                              | 7,480                     | 119                 | 86%            |
| 00166-0-053-# | 20        | 2             |  | 10.0                              | 7,480                     | 119                 | 86%            |
| 00166-0-054-# | 20        | 2             |  | 10.0                              | 7,480                     | 119                 | 86%            |
| 00166-0-055-# | 32        | 2             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-056-# | 32        | 2             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-057-# | 31        | 4             |  | 7.8                               | 5,797                     | 92                  | 66%            |
| 00166-0-058-# | 31        | 4             |  | 7.8                               | 5,797                     | 92                  | 66%            |
| 00166-0-059-# | 31        | 4             |  | 7.8                               | 5,797                     | 92                  | 66%            |
| 00166-0-060-# | 31        | 4             |  | 7.8                               | 5,797                     | 92                  | 66%            |
| 00166-0-061-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00166-0-062-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00166-0-063-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00166-0-064-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00166-0-065-# | 27        | 4             |  | 6.8                               | 5,049                     | 80                  | 58%            |
| 00166-0-066-# | 27        | 4             |  | 6.8                               | 5,049                     | 80                  | 58%            |
| 00166-0-067-# | 27        | 4             |  | 6.8                               | 5,049                     | 80                  | 58%            |
| 00166-0-068-# | 27        | 4             |  | 6.8                               | 5,049                     | 80                  | 58%            |
| 00166-0-069-# | 15        | 2             |  | 7.5                               | 5,610                     | 89                  | 64%            |
| 00166-0-070-# | 15        | 2             |  | 7.5                               | 5,610                     | 89                  | 64%            |
| 00166-0-071-# | 28        | 2             |  | 14.0                              | 10,472                    | 166                 | 120%           |
| 00166-0-072-# | 28        | 2             |  | 14.0                              | 10,472                    | 166                 | 120%           |
| 00166-0-073-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-074-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-075-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-076-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-077-# | 36        | 4             |  | 9.0                               | 6,732                     | 107                 | 77%            |
| 00166-0-078-# | 36        | 4             |  | 9.0                               | 6,732                     | 107                 | 77%            |
| 00166-0-079-# | 36        | 4             |  | 9.0                               | 6,732                     | 107                 | 77%            |
| 00166-0-080-# | 36        | 4             |  | 9.0                               | 6,732                     | 107                 | 77%            |
| 00166-0-081-# | 25        | 4             |  | 6.3                               | 4,675                     | 74                  | 54%            |
| 00166-0-082-# | 25        | 4             |  | 6.3                               | 4,675                     | 74                  | 54%            |
| 00166-0-083-# | 25        | 4             |  | 6.3                               | 4,675                     | 74                  | 54%            |

Report Period: 05/01/14 07/03/14

Number of days within period: 63

| Account #     | Meter Use | # of Units    |  | Unit Consumption per meter shared | Gallons per Billing Cycle | Avg.Gallons per Day | Usage Vs. AVG. |
|---------------|-----------|---------------|--|-----------------------------------|---------------------------|---------------------|----------------|
|               |           | Sharing Meter |  |                                   |                           |                     |                |
| 00166-0-084-# | 25        | 4             |  | 6.3                               | 4,675                     | 74                  | 54%            |
| 00166-0-085-# | 20        | 2             |  | 10.0                              | 7,480                     | 119                 | 86%            |
| 00166-0-086-# | 20        | 2             |  | 10.0                              | 7,480                     | 119                 | 86%            |
| 00166-0-087-# | 0         | 1             |  | 0.0                               | 0                         | 0                   | 0%             |
| 00166-0-088-# | 6         | 1             |  | 6.0                               | 4,488                     | 71                  | 51%            |
| 00166-0-089-# | 21        | 2             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00166-0-090-# | 21        | 2             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00166-0-091-# | 51        | 4             |  | 12.8                              | 9,537                     | 151                 | 109%           |
| 00166-0-092-# | 51        | 4             |  | 12.8                              | 9,537                     | 151                 | 109%           |
| 00166-0-093-# | 51        | 4             |  | 12.8                              | 9,537                     | 151                 | 109%           |
| 00166-0-094-# | 51        | 4             |  | 12.8                              | 9,537                     | 151                 | 109%           |
| 00166-0-095-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-096-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-097-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-098-# | 64        | 4             |  | 16.0                              | 11,968                    | 190                 | 137%           |
| 00166-0-099-# | 38        | 4             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-100-# | 38        | 4             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-101-# | 38        | 4             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-102-# | 38        | 4             |  | 9.5                               | 7,106                     | 113                 | 81%            |
| 00166-0-103-# | 29        | 2             |  | 14.5                              | 10,846                    | 172                 | 124%           |
| 00166-0-104-# | 29        | 2             |  | 14.5                              | 10,846                    | 172                 | 124%           |
| 00166-0-105-# | 13        | 1             |  | 13.0                              | 9,724                     | 154                 | 111%           |
| 00166-0-106-# | 14        | 1             |  | 14.0                              | 10,472                    | 166                 | 120%           |
| 00166-0-107-# | 26        | 2             |  | 13.0                              | 9,724                     | 154                 | 111%           |
| 00166-0-108-# | 26        | 2             |  | 13.0                              | 9,724                     | 154                 | 111%           |
| 00166-0-109-# | 68        | 4             |  | 17.0                              | 12,716                    | 202                 | 146%           |
| 00166-0-110-# | 68        | 4             |  | 17.0                              | 12,716                    | 202                 | 146%           |
| 00166-0-111-# | 68        | 4             |  | 17.0                              | 12,716                    | 202                 | 146%           |
| 00166-0-112-# | 68        | 4             |  | 17.0                              | 12,716                    | 202                 | 146%           |
| 00166-0-113-# | 26        | 4             |  | 6.5                               | 4,862                     | 77                  | 56%            |
| 00166-0-114-# | 26        | 4             |  | 6.5                               | 4,862                     | 77                  | 56%            |
| 00166-0-115-# | 26        | 4             |  | 6.5                               | 4,862                     | 77                  | 56%            |
| 00166-0-116-# | 26        | 4             |  | 6.5                               | 4,862                     | 77                  | 56%            |
| 00166-0-117-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-118-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-119-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-120-# | 41        | 4             |  | 10.3                              | 7,667                     | 122                 | 88%            |
| 00166-0-121-# | 12        | 2             |  | 6.0                               | 4,488                     | 71                  | 51%            |
| 00166-0-122-# | 12        | 2             |  | 6.0                               | 4,488                     | 71                  | 51%            |
| 00166-0-123-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00116-0-124-# | 60        | 4             |  | 15.0                              | 11,220                    | 178                 | 128%           |
| 00166-0-125-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00166-0-126-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00166-0-127-# | 35        | 4             |  | 8.8                               | 6,545                     | 104                 | 75%            |
| 00166-0-128-# | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |

Report Period: 05/01/14 07/03/14

Number of days within period: 63

| Account #                  | Meter Use | # of Units    |  | Unit Consumption per meter shared | Gallons per Billing Cycle | Avg.Gallons per Day | Usage Vs. AVG. |
|----------------------------|-----------|---------------|--|-----------------------------------|---------------------------|---------------------|----------------|
|                            |           | Sharing Meter |  |                                   |                           |                     |                |
| 00166-0-129-#              | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00166-0-130-#              | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00116-0-131-#              | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00116-0-132-#              | 43        | 4             |  | 10.8                              | 8,041                     | 128                 | 92%            |
| 00116-0-133-#              | 43        | 4             |  | 10.8                              | 8,041                     | 128                 | 92%            |
| 00116-0-134-#              | 43        | 4             |  | 10.8                              | 8,041                     | 128                 | 92%            |
| 00116-0-135-#              | 43        | 4             |  | 10.8                              | 8,041                     | 128                 | 92%            |
| 00116-0-135-#              | 60        | 4             |  | 15.0                              | 11,220                    | 178                 | 128%           |
| 00116-0-137-#              | 60        | 4             |  | 15.0                              | 11,220                    | 178                 | 128%           |
| 00116-0-138-#              | 60        | 4             |  | 15.0                              | 11,220                    | 178                 | 128%           |
| 00116-0-139-#              | 55        | 4             |  | 13.8                              | 10,285                    | 163                 | 118%           |
| 00116-0-140-#              | 55        | 4             |  | 13.8                              | 10,285                    | 163                 | 118%           |
| 00116-0-141-#              | 55        | 4             |  | 13.8                              | 10,285                    | 163                 | 118%           |
| 00116-0-142-#              | 55        | 4             |  | 13.8                              | 10,285                    | 163                 | 118%           |
| 00116-0-143-#              | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00116-0-144-#              | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00116-0-145-#              | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00116-0-146-#              | 42        | 4             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00116-0-147-#              | 73        | 4             |  | 18.3                              | 13,651                    | 217                 | 156%           |
| 00116-0-148-#              | 73        | 4             |  | 18.3                              | 13,651                    | 217                 | 156%           |
| 00116-0-149-#              | 73        | 4             |  | 18.3                              | 13,651                    | 217                 | 156%           |
| 00116-0-150-#              | 73        | 4             |  | 18.3                              | 13,651                    | 217                 | 156%           |
| 00116-0-151-#              | 28        | 2             |  | 14.0                              | 10,472                    | 166                 | 120%           |
| 00116-0-152-#              | 28        | 2             |  | 14.0                              | 10,472                    | 166                 | 120%           |
| 00116-0-153-#              | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00116-0-154-#              | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00116-0-155-#              | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00116-0-156-#              | 47        | 4             |  | 11.8                              | 8,789                     | 140                 | 101%           |
| 00116-0-157-#              | 37        | 4             |  | 9.3                               | 6,919                     | 110                 | 79%            |
| 00116-0-158-#              | 37        | 4             |  | 9.3                               | 6,919                     | 110                 | 79%            |
| 00116-0-159-#              | 37        | 4             |  | 9.3                               | 6,919                     | 110                 | 79%            |
| 00116-0-160-#              | 37        | 4             |  | 9.3                               | 6,919                     | 110                 | 79%            |
| 00116-0-161-#              | 49        | 4             |  | 12.3                              | 9,163                     | 145                 | 105%           |
| 00116-0-162-#              | 49        | 4             |  | 12.3                              | 9,163                     | 145                 | 105%           |
| 00116-0-163-#              | 49        | 4             |  | 12.3                              | 9,163                     | 145                 | 105%           |
| 00116-0-164-#              | 49        | 4             |  | 12.3                              | 9,163                     | 145                 | 105%           |
| 00116-0-165-#              | 21        | 2             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| 00116-0-166-#              | 21        | 2             |  | 10.5                              | 7,854                     | 125                 | 90%            |
| Total Residential Use      |           | 41.9%         |  | 1,938                             | 1,449,624                 | 23,010              |                |
| Total Streams & Irrigation |           | 58.1%         |  | 2,690                             | 2,012,120                 | 31,938              |                |
| Total Water Use            |           | 100.0%        |  | 4,628                             | 3,461,744                 | 54,948              |                |

Report Period: 05/01/14 07/03/14

Number of days within period: 63

| <b>Account #</b> | <b>Meter Use</b> | <b># of Units Sharing Meter</b> | <b>Unit Consumption per meter shared</b> | <b>Gallons per Billing Cycle</b> | <b>Avg.Gallons per Day</b> | <b>Usage Vs. AVG.</b> |
|------------------|------------------|---------------------------------|--|----------------------------------|----------------------------|-----------------------|
|------------------|------------------|---------------------------------|--|----------------------------------|----------------------------|-----------------------|

Summary Facts:

41.9% Of the billing cycle water consumed used by Residents  
58.1% Of the billing cycle water consumed used Streams & Irrigation

1,449,624 Total Residential Gallons of water for billing cycle (two months)  
139 Average Residential Gallons of water consumed per unit/per day